OCT 0 3 2002

page lof/

510(k) Summary

510(k) Number:

K022234

Company:

Arthrex, Inc. 2885 S. Horseshoe Dr., Naples, FL 34104

Address: Telephone:

(239) 643-5553

Facsimile:

(239) 430-3494 Ann Waterhouse

Contact: Trade Name:

Arthrex Mini Bio-Anchor

Common Name:

Suture Anchor

Classification:

Fastener, Fixation, Biodegradable

Product Code:

MAI/HWC

Description:

The Arthrex Mini Bio-Anchor is manufactured using poly(L-lactide, co-D-L-lactide) or PLDLA. It is a threaded anchor with a suture eyelet for inclusion of the Arthrex Fiberwire™or other appropriate suture. The Mini Bio-Anchor is available with a reusable guide for insertion purposes. Prior to driving in the anchor, it is necessary to prepare the bone by using a uniquely sized single-use sterile drill.

Indications for Use:

The Arthrex Mini Bio-Anchor is a bioabsorbable polylactide (PLDLA) screw intended to provide fixation of suture to bone in various surgeries such as foot. ankle, elbow, hand, and wrist. Specifically:

Elbow:

Biceps Tendon Reattachment, Ulnar or Radial Collateral Ligament

Reconstruction

Hand/Wrist: Scapholunate Ligament Reconstruction, Ulnar Collateral Ligament

Reconstruction, Radial Collateral Ligament Reconstruction

Foot:

Hallux Valgus reconstruction

Ankle:

Mid-foot reconstruction

Substantial Equivalence:

By definition, substantial equivalence means that a device has the same intended use and technical characteristics as the predicate device, or has the same intended use and different technological characteristics, but can be demonstrated to be as safe and effective as the predicate device. The difference between the Arthrex Mini Bio-Anchor and predicate devices with similar indications do not raise any questions regarding the safety and effectiveness of the implant. Furthermore, the material is well characterized and has been used in predicate device with similar indications. The device, as designed, is as safe and effective as predicate devices.



Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

OCT 03 2002

Ms. Ann Waterhouse Regulatory Affairs Specialist Arthrex, Inc. 2885 South Horseshoe Drive Naples, Florida 34104

Re: K022234

Trade/Device Name: Arthrex Mini Bio-Anchor

Regulation Number: 21 CFR 888.3040

Regulation Name: Smooth or threaded metallic bone fixation fastener

Regulatory Class: Class II Product Code: HWC, MAI Dated: June 28, 2002 Received: July 11, 2002

Dear Ms. Waterhouse:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not meal: that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html

Sincerely yours,

Celia M. Witten, Ph.D., M.D.

Director

Division of General, Restorative and Neurological Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): K022234

Device Name: Arthrex Mini Bio-Anchor

Indications for Use:

The Arthrex Mini Bio-Anchor is a bioabsorbable polylactide (PLDLA) screw intended to provide fixation of suture to bone in surgeries of the foot, ankle, elbow, and hand/wrist. Specifically;

Elbow:

Biceps Tendon Reattachment, Ulnar or Radial Collateral Ligament

Reconstruction

Hand/Wrist: Scapholunate Ligament Reconstruction, Ulnar Collateral Ligament

Reconstruction, Radial Collateral Ligament Reconstruction

Foot:

Hallux Valgus reconstruction

Ankle:

Mid-foot reconstruction

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Option Format 3-10-98)

Division of General, Restorative

and Neurological Devices KO2 2234

510(k) Number_